

L Number	Hits	Search Text	DB	Time stamp
1	2	6163216.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 14:55
2	2	5789955.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 14:59
3	3	5789955.URPN.	USPAT	2004/04/25 14:55
4	1		USPAT	2004/04/25 14:56
5	2	4779062.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 14:59
6	2	5903425.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 15:00
7	2	5834964.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 15:59
8	198301	adapter or adaptor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 15:59
9	174	(adapter or adaptor) and (current adj mirror)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 16:00
10	42	((adapter or adaptor) and (current adj mirror)) and npn and pnp	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 16:01
-	3	"4318052"	USPAT; US-PGPUB	2004/04/25 10:46
-	2	"6567011"	USPAT; US-PGPUB	2004/04/24 14:44
-	8	((("5515052") or ("5255313") or ("5414426") or ("4959810") or ("5228077") or ("5537463") or ("5481256") or ("4712105"))).PN.	USPAT; US-PGPUB	2004/01/16 17:02
-	1	5862412.pn.	USPAT; US-PGPUB	2004/01/16 17:14
-	1130	(nnp adj transistor) with "current mirror"	USPAT; US-PGPUB	2004/04/08 18:52
-	711	((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")	USPAT; US-PGPUB	2004/04/07 20:45
-	228	((((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror"))) and ((low or high) adj voltage)	USPAT; US-PGPUB	2004/04/07 20:45
-	182	(((((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror"))) and ((low or high) adj voltage)) and amplifier	USPAT; US-PGPUB	2004/04/07 20:44
-	161	((((((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror"))) and ((low or high) adj voltage)) and amplifier	USPAT; US-PGPUB	2004/04/07 20:46
-	1399	(nnp adj transistor) with "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 20:45
-	800	((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 20:45

-	231	((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")) and ((low or high) adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 20:45
-	184	((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")) and ((low or high) adj voltage)) and amplif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/07 20:46
-	162	((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")) and ((low or high) adj voltage)) and amplif\$3) and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 11:43
-	154	((output or input) adj voltage) and ((nnp adj transistor) with "current mirror") and ((pnp adj transistor) with "current mirror")) and ((low or high) adj voltage)) and amplif\$3) and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 11:44
-	247	348/707.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 11:43
-	138	348/707.ccls. and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 18:52
-	11	(348/707.ccls. and @AY<2001) and ((nnp or pnp) adj transistor) with "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 18:52
-	2	4686487.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 12:09
-	5	4686487.URPN.	USPAT	2004/04/08 12:10
-	8	("T953012" "3852679" "3939434" "3992676" "4100436" "4334198" "4415864" "4433303").PN.	USPAT	2004/04/08 12:12
-	674	"current mirror amplifier"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 12:15
-	204	"current mirror amplifier" and ((nnp or pnp) adj transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 12:16
-	194	("current mirror amplifier" and ((nnp or pnp) adj transistor)) and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 12:17
-	103	((("current mirror amplifier" and ((nnp or pnp) adj transistor)) and @AY<2001) and (output near2 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 12:17
-	99	((("current mirror amplifier" and ((nnp or pnp) adj transistor)) and @AY<2001) and (input near2 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 13:27
-	2	4525683.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 13:44
-	12	4525683.URPN.	USPAT	2004/04/08 13:27
-	2	6316967.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 18:51

-	180	327/53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 18:51
-	158	327/53.ccls. and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 18:52
-	130	(327/53.ccls. and @AY<2001) and "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/08 19:10
-	24	((327/53.ccls. and @AY<2001) and "current mirror") and ((nnp or pnp) adj transistor)	USPAT; US-PGPUB	2004/04/08 18:53
-	25	((327/53.ccls. and @AY<2001) and "current mirror") and ((nnp or pnp) same transistor)	USPAT; US-PGPUB	2004/04/08 18:55
-	16	((327/53.ccls. and @AY<2001) and "current mirror") and ((nnp or pnp) same transistor)) and ((output same input) near5 voltage)	USPAT; US-PGPUB	2004/04/09 12:24
-	247	348/707.ccls.	USPAT; US-PGPUB	2004/04/08 19:10
-	22	348/707.ccls. and "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 12:05
-	20	("3435293" "4318052" "4675551" "4915466" "5030122" "5245499" "5257157" "5301081" "5434516" "5521528" "5528168" "5530623" "5546017" "5548226" "5553250" "5578940" "5635852" "5635853" "5706447" "5920266").PN.	USPAT	2004/04/09 10:16
-	2	4318052.URPN.	USPAT	2004/04/09 10:19
-	1	"4176323".PN.	USPAT	2004/04/09 10:19
-	4	348/730.ccls. and "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 12:22
-	2	6300808.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 12:23
-	304	330/255.ccls. and "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:19
-	249	(330/255.ccls. and "current mirror") and @AY<2001	USPAT; US-PGPUB	2004/04/09 12:25
-	85	((330/255.ccls. and "current mirror") and @AY<2001) and ((low with high) with voltage)	USPAT; US-PGPUB	2004/04/09 12:26
-	85	((330/255.ccls. and "current mirror") and @AY<2001) and ((low with high) with voltage)) and amplif\$7	USPAT; US-PGPUB	2004/04/09 14:58
-	1376	(nnp with pnp) same "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 14:59
-	3	((nnp with pnp) same "current mirror") same (high near2 (voltage adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 15:01
-	19	((nnp with pnp) same "current mirror") and (high near2 (voltage adj source))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:18
-	2	6163216.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:26

-	3	"current mirror" with amplif\$5 with "in series"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:21
-	5	("current mirror" with "in series") same ampli\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:22
-	6	("current mirror" same "in series") same ampli\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:23
-	108	("current mirror" and "in series") and ampli\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:23
-	5	(("current mirror" and "in series") and ampli\$5) and (npn same pnp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 16:23
-	2	6072331.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 18:07
-	2	5724519.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 18:07
-	1672	((PMOS or NMOS) near5 "current mirror")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 13:48
-	278	((PMOS or NMOS) adj "current mirror")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 15:11
-	46	((((PMOS or NMOS) adj "current mirror")) and ((npn or pnp) adj2 transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 15:16
-	288	SCART or "Syndicat des Constructeurs d'Appareils Radio Receteurs et Televisers"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 15:10
-	2	(SCART or "Syndicat des Constructeurs d'Appareils Radio Receteurs et Televisers") and "current mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 15:11
-	3	(SCART or "Syndicat des Constructeurs d'Appareils Radio Receteurs et Televisers") and ((npn or pnp) adj2 transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/10 15:16
-	1	5724519.pn.	USPAT; US-PGPUB	2004/04/18 13:04
-	686	(adaptor or adapter) and (current near2 amplif\$3)	USPAT; US-PGPUB; EPO; JPO	2004/04/20 10:48
-	701	(adaptor or adapter) and (current near2 amplif\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 10:48

-	77	((adaptor or adapter) and (current near2 amplif\$3)) and npn and pnp	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 10:48
-	21	(driver\$ same (adapter\$ or regulator\$)) and ((current near3 mirror) with (pnp and npn))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/24 14:06
-	1	6492930.pn.	USPAT; US-PGPUB	2004/04/24 14:45
-	1	5789955.pn.	USPAT; US-PGPUB	2004/04/24 18:18
-	1	5627495.pn.	USPAT; US-PGPUB	2004/04/24 14:50
-	1	5623232.pn.	USPAT; US-PGPUB	2004/04/24 14:51
-	1	6557066.pn.	USPAT; US-PGPUB	2004/04/24 14:52
-	1	6347029.pn.	USPAT; US-PGPUB	2004/04/24 14:53
-	1	6294937.pn.	USPAT; US-PGPUB	2004/04/24 14:55
-	1	3996609.pn.	USPAT; US-PGPUB	2004/04/24 15:02
-	1	4349778.pn.	USPAT; US-PGPUB	2004/04/24 15:03
-	1	4692688.pn.	USPAT; US-PGPUB	2004/04/24 15:07
-	1	4907121.pn.	USPAT; US-PGPUB	2004/04/24 15:08
-	1	5264782.pn.	USPAT; US-PGPUB	2004/04/24 15:09
-	1	6586888.pn.	USPAT; US-PGPUB	2004/04/24 15:09
-	1	6150801.pn.	USPAT; US-PGPUB	2004/04/24 15:09
-	1	5625281.pn.	USPAT; US-PGPUB	2004/04/24 19:07
-	1	5264782.pn.	USPAT; US-PGPUB	2004/04/24 19:07
-	45	((current near3 voltage\$) same (driver\$ and adapter\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:54
-	8484	327/53.ccls. or 327/103-111.ccls. or 327/66.ccls. or 327/132.ccls. or 327/490.ccls. or 323/313.ccls. or 323/315.ccls. or 330/257.ccls. or 330/288.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:49
-	0	((current near3 voltage\$) same (driver\$ and adapter\$)) and (327/53.ccls. or 327/103-111.ccls. or 327/66.ccls. or 327/132.ccls. or 327/490.ccls. or 323/313.ccls. or 323/315.ccls. or 330/257.ccls. or 330/288.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:49
-	53740	348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:50
-	739	348/707.ccls. or 348/730.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:50
-	0	((current near3 voltage\$) same (driver\$ and adapter\$)) and (348/707.ccls. or 348/730.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:50

-	10	((current near3 voltage\$) same (driver\$ and adaptor\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:51
-	0	((current near3 voltage\$) same (driver\$ and adapter\$)) and ((nnp near3 pnp) near4 (current near2 mirror\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 10:55
-	20	((((current or voltage\$) near5 (adapter or adaptor)) or ((current or voltage\$) near5 adapt\$3)) and ((nnp near3 pnp) near4 (current near2 mirror\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:12
-	161	((((current or voltage\$) near5 (driver)) and ((current or voltage\$) near5 adapter\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:11
-	0	(driver with (adapt\$2 or regulator\$)) same ((current near2 mirror\$) with (nnp same pnp))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:15
-	56	(driver same (adapt\$2 or regulator\$)) and ((current near3 mirror\$) with (nnp and pnp))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:16
-	33	(driver same (adapt\$2 or regulator\$)) and ((current near3 mirror\$) with (nnp and pnp))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:16
-	25	(driver same (adapt\$2 or regulator\$)) and ((current near3 mirror\$) with (nnp same pnp))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 11:16
-	19	((driver same (adapt\$2 or regulator\$)) and ((current near3 mirror\$) with (nnp same pnp))) and @AY<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/25 14:47